

WANDSWORTH PUBLIC HEALTH BOARD

Public Health Outcomes Framework Analysis – May 2019 Data Update

GLOSSARY

PHOF: Public Health Outcomes Framework

RECOMMENDATIONS

1. The Public Health Board is recommended to review the PHOF data update and consider the indicators identified for consideration.

SUMMARY

2. Below is a summary of Wandsworth's performance regarding the high priority indicators as well as the other indicators that have been updated in this report:

High priority indicators

- No change was seen in **cancer diagnosed at early stage**¹, as the Wandsworth rate remained at 55% in 2017. Wandsworth was within the 1st quartile when compared against the London boroughs, as best performing.
 - **Other indicators**
 - No **improvement** was seen within any of the updated indicators during this quarter.
 - Wandsworth's performance **worsened** on the following indicators: children in low income families (all dependent children under 20) and the percentage of adult carers who have as much social contact as they would like.
 - Wandsworth performance on other indicators, presented in the table below, remained similar.
3. The latest update to the Public Health Outcomes Framework was published by Public Health England in May. The PHOF contains a range of indicators covering:
 - Overarching health (e.g. life expectancy)
 - The wider determinants of health (e.g. education, employment, housing)
 - Health improvement (e.g. smoking, physical activity)
 - Health protection (e.g. vaccination)
 - Healthcare and premature mortality (e.g. hospital emergency readmission)
 4. The full list of new and updated indicators is available online. The online tool allows trends, maps and comparisons with national, regional and other similar local authorities to be viewed.
 5. The appended table identifies the current level of performance in Wandsworth and compares it to the borough's previous year's performance showing absolute and relative changes. The

¹ New cases of cancer diagnosed at Stage 1 and 2 as a proportion of all new cases of cancer diagnosed (specific cancer sites, morphologies and behaviour: invasive malignancies of breast, prostate, colorectal, lung, bladder, kidney, ovary, uterus, non-Hodgkin lymphomas, and invasive melanomas of skin).






This indicator is labelled as experimental statistics because of the variation in data quality: the indicator values primarily represent variation in completeness of staging information.



relative performance is now reported both as inner London *rank* position and *quartile* position, as requested by the Board.


6. All comparisons made below are to inner London and all London boroughs. Where Wandsworth is “1st or 2nd quartile” its performance is good, where it is “ 3rd quartile” its performance is borderline , and where it is “4th quartile” its performance is worse compared to the other boroughs.

**Prepared by Sally Bahri, Business Intelligence Analyst and Andre Modlitba, Analyst Support Officer
Reviewed by Salman Klar, Manager Business Intelligence Team and Public Health Senior Management Team**

Appendix Public Health Outcome Framework- Indicator updates May 2019

Recent Trend	 Higher/Getting worse	 Higher/ Getting better	 No significant change
		 Lower/ Getting worse	 Lower/ Getting better

CATEGORY	INDICATOR	TIME PERIOD	LOCAL	REGION	ENGLAND	PREVIOUS VALUE	TREND/CHANGE FROM PREV. VALUE	LONG-TERM TREND	LONDON QUARTILE	INNER LONDON QUARTILE
Wider determinants of health	Sickness absence - the percentage of employees who had at least one day off in the previous week - %	2015 - 17	1.3	2.2	2.1	1.4	 -7.1%		1	1



CATEGORY	INDICATOR	TIME PERIOD	LOCAL	REGION	ENGLAND	PREVIOUS VALUE	TREND/CHANGE FROM PREV. VAL.	LONG-TERM TREND	LONDON QUARTILE	INNER LONDON QUARTILE
Overarching indicators	Life expectancy at birth - years (male)	2015 - 17	80.2	80.5	79.6	80	➔ +0.2%	▬▬▬	3	2
Overarching indicators	Life expectancy at birth - years (female)	2015 - 17	83.6	84.3	83.1	83.8	➔ -0.2%	▬▬▬	4	3
Overarching indicators	Life expectancy at 65 - years (male)	2015 - 17	18.8	19.3	18.8	18.7	➔ +0.5%	▬▬▬	3	2
Overarching indicators	Life expectancy at 65 - years (female)	2015 - 17	21.3	21.9	21.1	21.3	➔ 0.0%	▬▬▬	4	3
Wider determinants of health	Children in low income families (under 16s) - %	2016	17.2	18.8	17.0	16.7	➔ +3.0%	⬇️	2	1
Wider determinants of health	The percentage of the population exposed to road, rail and air transport noise of 55 dB(A) or more during the night-time - %	2016	16.8	15.9	8.5	0	▬▬▬ N/A	▬▬▬	2	4
Wider determinants of health	The percentage of the population exposed to road, rail and air transport noise of 65dB(A) or more, during the daytime - %	2016	13.4	12.1	5.5	0	▬▬▬ N/A	▬▬▬	2	4
Wider determinants of health	Re-offending levels - average number of re-offences per offender - current method - per offender	2016/17	0.99	1.01	1.17	0	▬▬▬ N/A	▬▬▬	3	4
Wider determinants of health	Re-offending levels - percentage of offenders who re-offend - current method - %	2016/17	27.6	28.6	29.2	N/A	▬▬▬ N/A	▬▬▬	3	4
Wider determinants of health	Children in low income families (all dependent children under 20) - %	2016	18.1	19.3	17.0	17.3	⬆️ +4.6%	⬇️	2	1
Wider determinants of health	Social isolation: percentage of adult carers who have as much social contact as they would like - %	2016/17	25.1	35.6	35.5	0	⬇️ N/A	▬▬▬	4	4
Health improvement	Percentage of adults (aged 18+) classified as overweight or obese - %	2017/18	55.2	55.9	62.0	48.2	➔ +14.5%	▬▬▬	2	4
Health improvement	Under 18 conceptions - per 1,000 (female)	2017	15	16.4	17.8	21.2	➔ -29.2%	⬇️	2	2
Health improvement	Proportion of the population meeting the recommended '5-a-day' on a 'usual day' (adults) - %	2017/18	59.3	54.1	54.8	59	➔ +0.5%	▬▬▬	1	1
Health improvement	Average number of portions of fruit consumed daily (adults) - average daily quantity	2017/18	2.54	2.54	2.51	2.52	➔ +0.8%	▬▬▬	3	2
Health improvement	Average number of portions of vegetables consumed daily (adults) - average daily quantity	2017/18	2.9	2.68	2.65	2.74	➔ +5.8%	▬▬▬	1	1
Health improvement	Self-reported wellbeing - people with a high anxiety score - %	2017/18	18	21.2	20.0	21.2	➔ -15.1%	▬▬▬	1	1
Health improvement	Percentage of physically active adults - %	2017/18	72.3	66.4	66.3	71.7	➔ +0.8%	▬▬▬	1	2
Health improvement	Proportion of the population meeting the recommended "5-a-day" at age 15 - %	2014/15	57	56.2	52.4	0	▬▬▬ N/A	▬▬▬	2	2
Health improvement	Low birth weight of term babies - %	2017	2.06	3.01	2.82	2.4	➔ -14.2%	➔	1	1
Health improvement	Percentage of physically inactive adults - %	2017/18	16.6	22.0	22.2	18.4	➔ -9.8%	▬▬▬	1	2
Health improvement	Percentage of children where there is a cause for concern - %	2017/18	35.2	33.4	38.6	42	➔ -16.2%	▬▬▬	3	4
Health improvement	Cancer diagnosed at early stage (experimental statistics) - %	2017	55	52.7	52.2	56	➔ -1.8%	⬆️	1	1
Health improvement	Under 18 conceptions: conceptions in those aged under 16 - per 1,000 (female)	2017	2.1	2.2	2.7	2.4	➔ -12.5%	⬇️	3	2
Health improvement	Average difficulties score for all looked after children aged 5-16 who have been in care for at least 12 months on 31st March - score	2017/18	14.3	13.0	14.2	15.4	▬▬▬ -7.1%	▬▬▬	3	4
Healthcare and premature mortality	Preventable sight loss - glaucoma - per 100,000	2017/18	12.9	14.3	12.6	10.5	➔ +22.9%	➔	2	3
Healthcare and premature mortality	Preventable sight loss - age related macular degeneration (AMD) - per 100,000	2017/18	65.6	85.7	106.7	66.8	➔ -1.8%	⬇️	2	2
Healthcare and premature mortality	Preventable sight loss - diabetic eye disease - per 100,000	2017/18	1.8	3.6	2.8	3.3	➔ -45.5%	▬▬▬	1	1
Healthcare and premature mortality	Preventable sight loss - sight loss certifications - per 100,000	2017/18	23.5	30.8	41.1	23.3	➔ +0.9%	⬇️	2	3